

# DIGITAL CAMERA ACCESSORIES

*"It's not the time it takes to take the takes.  
It's the time it takes BETWEEN the takes, that  
takes the time to take the takes."*

*Doug Hart*

# CAMERA ASSISTANT TOOLS

## **multi-tool**

- Leatherman, Gerber, Swiss Army

## **screwdriver**

- wide flat head (tripod quick release plate)

## **flashlight**

- LED (camera often in dark during production)

## **water soluble marker**

- STAEDTLER Lumocolor, SANFORD Vis-á-Vis (FF marking disk)

## **chart tape**

- thin tape for lens marks

## **pencil**

- marking lens / FF

## **tape measure\***


- focal plane mark to talent eye

\* check out item from FPS

# TRIPOD (100MM BALL BASE)

## head\*: 100mm ball base

- pan handle
- pan lock
- pan resistance
- tilt lock
- tilt resistance
- tilt counter balance
- balance plate lock
- quick release plate
- quick release plate lock
- screw(s) (3/4" and/or 1/4")
- bubble level
- head tie down



\* models will vary

# CAMERA AKS

## **base plate**

- camera base pre-attached

## **handle**

- shoe mount carry handle w/ mounting threads

## **support rods**

- (x2) 12" 15mm iris rods

## **follow focus (FF)**

- lens gear (removable)
- witness mark pointer
- (x2) focus mark stoppers
- marking disk (use water soluble marker only)

# MATTE BOX AKS

## **Tilta Matte Box**

- 4x4 2 stage, swing-away matte box (**MB**)
- (x2) 4x4 filter trays
- round filter retaining ring
- cloth “scrunchy” doughnut

## **sun shade**

- top eyebrow

## **4x4 filters**

- ND 3
- ND 6
- ND 9
- Polarizer

## **support rods**

- (x2) 4” 15mm iris rods (male threaded)

# MONITOR AKS

## **on board monitor**

- 4” monitor (DP4)
- HDMI cable
- mounting bracket

## **monitor bracket**

- articulating arm
- iris rod clamp

## **DP4 operation**

- TechSheet\_MNTR
- calibrate
- focus assist

# SHOULDER AKS

## **handle bar**

- hand held (**HH**) adjustable hand grips  
tip: use 4" rods from MB kit to attach

## **shoulder pad**

- hand held (**HH**) shoulder pad w/ iris rod clamp

## **support rods**

- (x4) 8" 15mm iris rods (male threaded)

## **weight**

- 15mm rod mount counter weight

# DIRECTOR VIEWFINDER

## applications

- location scouting
- blocking (focal length, angle, height, distance, movement)
- quick camera set up

## aspect ratio

- 16x9 – Digital HD

## Field of View

- 35MM format for focal length

## eye diopter

- focus

